STONE CRUSHER





Soilmaster reserves the right to make changes in the product and product features.







GENERAL FEATURES

Soilmaster Stone crusher small dimensions and lower weight make it highly versatile and ideal for use in fields, greenhouses, sea coasts, vineyards, forest lands, orchards and industrial areas. It is designed and built for agricultural soil reclamation in loose and superficial rock. This machine crushes stones up to 20 cm and tills the soil with a max working depth of 20 cm. The very strong frame, with efficient carbide tips and antiwear hammer supports makes this stone crusher very wearresistant. Technical requirements for operating this stone crusher are creeping speed (min 0.3 km / hr) and a hydraulics three point linkage tractor of a minimun 80 HP.

TECHNICAL DETAILS

CODE	WORKING WIDTH (CM)	WORKING DEPTH (CM)	WORKING SPEED (KM/H)	TOTAL NUMBER OF HAMMERS	HAMMERS FEATURE	INSIDE COATING	HAMMERS POSITION	PTO SPEED	REAR DOOR	WEIGHT (KG)	TRACTOR FEATURE	REQUIRED POWER (HP)
SMSCR-150	150	MAX. 20	0,3-2	34	BORON CARBIDE	HARDOX	HELIX	540 RPM	HYDRAULIC	1465	CREEPING SPEED	80



